



PRODUCT DATA SHEET

PT1030A

VERSION 6



OVERVIEW

12 Gauge - Breaching/Solid

Code: PT1035A

Cal: 12 Gauge

Projectile Weight: 41 grams

**Cartridge, 12G RAM/Entry,
Stainless Steel (Waterproof)**

SPECIFICATION

Payload: Stainless Steel powder

Case Material: Aluminium

Operational Temperatures: -21°C to +63°C

Safety Temperatures: -45°C to +71°C

Velocity: 350 - 400m/s at 2 metres

Accuracy: 1m x 1m Target at 35 metres

Penetration: 30-60 minute fire door

Recommended Stand-Off distance: 25mm

Mean Chamber Pressure: 400 - 600 bar

Range: Up to 35 metres

Propellant Type: Double Based Nitrocellulose

Primer Type: Shotshell Primer

Weapon Compatibility: 3" chamber magnum proofed shotgun
(true cylinder - unchoked)

TRANSPORT & PACKAGING DETAILS

Packaging: M2A1

Dimensions mm: 306x156x192

Qty per Outer Pack: 120

Gross Weight: 9.83kg

Maximum NEQ: 0.156kg

Proper Shipping Name:

Cartridges, small arms

Packaging: Fibreboard Box

Dimensions mm: 340x240x140

Quantity Per Outer Pack: 200

Gross Weight: 11.83kg

Maximum NEQ: 0.273kg

Proper Shipping Name:

Cartridges for weapons, inert
projectile

UN Serial Number: 0012

Hazard Class: 1.4S

Shelf Life: 5 years under controlled conditions

Storage requirements: To remain within original packaging,
stored between +5°C to +30°C with a relative humidity not
exceeding 70%.

Description

The RAM round is designed as a method of entry for use at close range (25mm stand-off distance) against a primary target to achieve disruption of hinges, locks and other door furniture in operations where weather, climate or water immersion (up to 10m) is a factor.

The round can also be utilised in the deflating of car tyres and for use as a close-range humane despatch of animals.

The round incorporates a fully frangible projectile containing stainless steel powder, minimising the risk of ricochet and over penetration.

Find out more

sales@primetake.com

We are constantly reviewing our products. All specifications are to be used as a guide and may vary so please check that the specification meets your requirements.